

# INDEX MAPS.

**T.20N. R.15E. 2<sup>nd</sup> Mer.**

	284		284		284		284		
286	6	290	5	294	4	296	3	2	1
	290		293		295	296			
286	7	289	8	293	9	295	10	11	12
	289		293		294	295			
286	18	289	17	292	16		15	14	13
	288		292		294				
285	19	288	20	292	21		22	23	24
	288		291		296				
285	30	287	29	291	28		27	26	25
	287		291		297				
285	31	287	32	290	33		34	35	36
	283		283		283				

**T.21N. R.15E. 2<sup>nd</sup> Mer.**

	300	300	300	300	301					
301	6	306	5	310	4	314	3	317	2	1
	306		310		314		317	317		
302	7	306	8	309	9	314	10	316	11	12
	306		309		313		316	316		
302	18	305	17	309	16	313	15	315	14	13
	305		308		313		315	315		
302	19	305	20	308	21	312	22	315	23	24
	304		308		312		312	315		
301	30	304	29	307	28	311	27	318	26	25
	304		307		311		311			
301	31	303	32	307	33	310	34		35	36
	299		299		299		299			

The figures on the lines refer to the page.

Township 20 North, Range 15 East, 2<sup>nd</sup> Mer. Pa. 283

Ch. 2<sup>nd</sup> 16<sup>th</sup>

South Boundary.

Var. —

East On N. side of Sec. 31.

40.00 Set q. sec. post, from which  
a Beech 14 in. dia. bears N 56 W, 19 lb. dist. &  
a Do. 16 " " " S 4 E, 16 " "

78.00 a Brook 20 ft. wide course N.

80.00 Set post cor. to Sec. 31 & 32, from which  
a Beech 24 in. dia. bears S 104 W, 44 lb. dist. &  
a Sugar 16 " " " S 12 E, 16 " "  
Land good and level. Beech.

East On N. side of Sec. 32.

32.00 an Elm 12 in. diam.

Land, level & Rich. Timber Beech —  
Sugar, Ash, Elm

40.00 Set q. sec. post, from which  
a Beech 14 in. dia. bears S 14 W, 28 lb. dist. &  
a Beech 16 " " " N 4 E, 18 " "

70.00 Enter Swamp.

74.00 Leave Do.

80.00 set post cor. to Sec. 32 & 33, from which  
a Beech 12 in. dia. bears N 49 W, 5 lb. dist. &  
a Do. 20 " " " S 77 E, 12 " "  
Level Beech land.

East On N. side of Sec. 33.

34.00 Intersect Old Indian Boundary &  
set post, from which

a Beech 24 in. dia. bears S 73 E, 20 lb. dist.

a Do. 24 " " " N 80 W, 12 " "

Surveyed in 1810.

By. A. Holmes, Dep. Sur.

North Boundary. W. —

T. 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>Ch<sup>o</sup> Lk.

East On S. side of Sec. 31. T. 21 N. R. 15 E.

22.20 a Brook 36 ft. wide

40.00 Set q. sec. post, from which

a Sugar 8 in. dia. bears S 40 W. 9 M. dist.

a Beech 14 " " " N 10 E. 94 " "

50.00 a Brook 8 ft. wide course N. W.

80.00 Set post cor. to Sec. 31 &amp; 32, from wh.

a Beech 6 in. dia. bears S 10 W. 9 M. dist.

a Sugar 16 " " " N 75 E. 45 " "

Level Beech land.

East On S. side of Sec. 32. T. 21 N. R. 15 E.

40.00 Set q. sec. post, from which

a Beech 8 in. dia. bears N 38 E. 6 M. dist.

a Do. 16 " " " N 65 W. 19 " "

80.00 Set post cor. to Sec. 32 &amp; 33, from which

a Beech 20 in. dia. bears S 19 W. 13 M. dist.

a Do. 24 " " " N 7 E. 34 " "

Land good &amp; level. Tim. Beech &amp; Hickory Sugar &amp;c.

East On S. side of Sec. 33. T. 21 N. R. 15 E.

40.00 Set q. sec. post, from which

a Beech 8 in. dia. bears S 35 E. 19 M. dist.

a Do. 12 " " " N 35 E. 12 " "

62.00 a Brook 6 ft. wide course N.

80.00 Set post cor. to Sec. 34 &amp; 33, from wh.

a Beech 24 in. dia. bears S 35 W. 6 M. dist.

a Sugar 18 in. dia. bears S 83 E. 25 " "

Land, good Beech land.

East On S. side of Sec. 34. T. 21 N. R. 15 E.

40.00 Set q. sec. post, from which

an Ironwood 6 in. dia. bears S 8 E. 6 M. dist.

a Beech 18 in. dia. bears N 82 W. 40 " "

50.00 Intersect Old Indian Boundary line

T. 20 N. R. 15 E. 2<sup>nd</sup> Mer. and a 285

Chs. M<sup>r</sup>. & set a post, from which  
a Beech 8 in. dia. bears S 62 E. 5 1/2 bl. dist. &  
a Do. 10 " " " N 40 W. 24 " "  
Surveyed in 1870.  
By A. Holmes, Dep. Sur.

### West Boundary.

Nov. 3<sup>rd</sup> 1870. Var. \_\_\_\_.

North Cen. Side of Sec. 26. T. 20 N. R. 14 E.  
40.00 Set q. sec. post, from which  
a Beech 12 in. dia. bears N 20 W. 3 1/2 bl. dist. &  
a Do. 15 " " " S 8 E. 33 " "  
62.50 an Ash 36 in. diam.  
80.00 Set post cor. to Sec. 25 & 26, from which  
a Beech 18 in. dia. bears N 44 W. 15 bl. dist. &  
a Do. 24 " " " N 14 E. 29 " "  
Level Beech land.

North Cen. Side of Sec. 25. T. 20 N. R. 14 E.  
40.00 Set q. sec. post, from which  
an Ash 14 in. dia. bears N 51 W. 9 bl. dist. &  
an Ash 30 " " " S 14 E. 28 " "  
75.00 an Ash 30 " " (Land, level. Fir, Beech  
80.00 Set post cor. to Sec. 24 & 25, from which  
a Beech 14 in. dia. bears S 46 W. 6 bl. dist. &  
a Do. 14 " " " N 18 E. 29 " "  
Level, Beech land.

North Cen. Side of Sec. 24. T. 20 N. R. 14 E.  
12.50 a creek 30 bl. wide course East.  
Timb. Beech, Sugar, Walnut & Ash.  
40.00 Set q. sec. post, from which  
a Beech 12 in. dia. bears S 13 W. 9 bl. dist. &  
a Do. 14 " " " N 21 W. 23 " "  
70.50 an Ash 17 in. diam.  
80.00 Set post cor. to Sec. 13 & 24, from which



286 S. D. N. No. 15 E. 2<sup>nd</sup> New Ind<sup>a</sup>  
Ch. Hk

a Beech 12 in. dia. bears S 66<sup>W</sup> 14 lbs. dist. and  
a Beech 16 " " " S 74<sup>E</sup> 31 lbs. dist.  
Land, level rich bottom. Beech, Sugar,  
Ash &c.

---

North On E. side of Sec. 13. T. 20 N. R. 14 E.

27.14 a Beech 18 in. diam.

40.00 Get gr. sec. post, from which  
an Ironwood 10 in. dia. bears S 66<sup>E</sup> 7 lbs. dist.  
an Ironwood 6 " " " S 21<sup>E</sup> 7 " "

55.00 a Creek 50 lbs. wide Course W.

61.65 a Bl. Oak 36 in. diam.

80.00 Get post cor. to Secs. 12 & 13, from which  
a Beech 15 in. dia. bears South 3 lbs. dist. &  
a Do. 16 " " " S 40<sup>W</sup> 20 " "  
Land, level & rich Beech, Sugar,  
Ash, Walnut &c.

---

North On E. side of Sec. 12. T. 20 N. R. 14 E.

40.00 Get post (gr. sec.) from which  
a Beech 20 in. dia. bears S 68<sup>W</sup> 20 lbs. dist.  
a Beech 14 " " " S 59<sup>E</sup> 20 " "

55.00 a Brook 4 lbs. wide Course W.

80.00 Get post cor. to Secs. 11 & 12. from which  
a Beech 6 in. dia. bears S 20<sup>E</sup> 8 lbs. dist. &  
a Do. 12 " " " S 32<sup>W</sup> 28 " "  
Land, level. Timber: Beech.  
Level Beech land.

---

North On E. side of Sec. 1. T. 20 N. R. 14 E.

21.65 a White Oak 36 in. diam.

40.00 Get gr. sec. post, from which  
a Beech 8 in. dia. bears S 40<sup>W</sup> 6 lbs. dist. &  
a Beech 6 " " " S 36<sup>E</sup> 8 lbs. dist.

59.38 Bl. Oak 36 in. diam.

80.00 Corner to Towns 20 & 21 North, Range

T. 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>

14 & 15 East, & set post, from which

a Beech 14 in. dia. bears S 50° W. 26 lbs. dist. and  
a Do. 14 " " " N 86° E. 28 " "

Level, Beech land.

Surveyed in 1810.

By A. Holmes, Dep. Sur.

### Subdivisions.

Var. \_\_\_\_\_

North Between Sects 31 & 32.

3.00 a Branch 25 lbs. wide Course N. E.

18.50 Same Course N. W.

34.02 a Beech 30 in. diam.

40.00 Set q. sec. post, from which  
a Beech 12 in. dia. bears S 70° E. 10 lbs. dist. X  
a Do. 8 " " " N 40° W. 9 " "

43.72 a Beech 24 in. diam.

80.00 Set post loc. to Sects 29, 30, 31 & 32, p. n. h.  
a Beech 12 in. dia. bears N 68° W. 9 lbs. dist. X  
a Do. 18 " " " N 86° E. 37 " "  
Limbs: Beech, Ash, Oak & Hickory.

West An Random between Sects 30 & 31.

4.00 a Branch 25 lbs. wide. Course N.

40.00 Set temp. q. sec. post.

53.62 a Drain Course N.

79.01 Intersect N & E. line 30 lbs. N. of post.

East correct line between Sects 30 & 31.

39.50 Set q. sec. post, from which  
a Sugar 13 in. dia. bears N. 5 " "  
a Hickory 10 " " " S 34° E. 22 lbs. dist.

79.00 See loc.

North Between Sects 29 & 30.

37.90 a Beech 24 in. diam.

288 S. Q. N. N. 15 E. 2<sup>nd</sup> Mer. Ind.

Ch. 1<sup>st</sup> 1/2

40.00 Set gr. sec. post, from which  
a Beech 14 in. dia. bears S 69 E. 10 lbs. dist. X  
a Wh. Oak 40 in. dia. " N 20 W. 35 " "  
80.00 Set post Cor. to Secs. 19, 20, 29 & 30, fr. wh.  
a Sugar 14 in. dia. bears N 26 W. 18 lbs. dist. X  
a Do. 20 " " " S 18 E. 25 " "  
Land, good.

West On Random between Secs. 19 & 30.

13.80 a Branch 25 lbs. wide Course N.

40.00 Set temp. gr. sec. post.

48.50 a Drain Course N.

79.00 Intersect N. & E. line 30 lbs. N. of post.

West Correct line between Secs. 19 & 30.

39.50 Set gr. sec. post, from which  
an Ash 12 in. dia. bears N 33 W. 30 lbs. dist. X  
a Beech 22 in. " " S 15 W. 34 " "

79.00 Sec. loc. February 7<sup>th</sup> 1811.  
Land, level. Sugar, Walnut, Beech,  
Ash &c.

North Between Sections 19 & 20.

10.00 a Drain Course N.

16.50 an Ash 30 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 13 in. dia. bears N 21 W. 27 lbs. dist.  
X a Do. 33 " " " S 53 E. 47 " "

44.60 an Elm 18 " "

80.00 Set post Cor. to Secs. 17, 18, 19 & 20, fr. wh.  
a Maple 36 in. dia. bears S 29 E. 14 lbs. dist. X  
an Elm 36 " " " N 7 W. 32 " "  
Land level Park - Oak Maple Elm Ash  
Buck Hickory &c

West On Random between Secs. 18 & 19.

T. 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. 289

Chk. 1/2

22.00 a Branch 75 ft. wide course W.  
40.00 Set temp. gr. sec. post.  
79.57 Intersect N & S. line 30 ft. S. of post.

East corner line between Sect. 18 & 19.

39.25 Set gr. sec. post. from which  
an Elm 20 in. dia. bears N 28 W. 7 ft. dist. &  
an S. Oak 30 " " " N 68 E. 27 " "  
Land, level & wet. Limb. Beech,  
Ash, Oak, Maple, Hickory &c.  
79.58 Sec. cor.

North Between Sect. 17 & 18.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears N 60 W. 19 ft. dist. &  
a Do. 20 " " " S 41 E. 17 " "  
43.30 an Oak 30 in. diam.  
80.00 Set post cor. to Sect. 17 & 18 from which  
a Beech 12 in. dia. bears N 34 W. 5 ft. dist. &  
a Do 10 " " " N 33 E. 19 " "  
Land, level part wet. Limb. Elm,  
Ash, Beech, Oak & Hickory.

West On Neandorn between Sect. 7 & 18.

40.00 Set temp. gr. sec. post.  
80.20 Intersect N & S. line 20 ft. S. of post.

East corner line between Sect. 7 & 18.

40.16 Set gr. sec. post. from which  
a Beech 12 in. dia. bears N 57 E. 4 ft. dist. &  
a Do 18 " " " S 29 W. 24 " "  
80.20 Sec. cor.  
Land, level. Limb. Beech, Sugar & Oak.

North Between Sect. 7 & 8.

35.43 a Beech 18 in. diam.



290 T 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind.

40.00

38.00 4.00 pond.

40.00 Set gr. sec. post, from which  
No Bearings in Pond.

67.00 a Sugar 20 in. diam.?

80.00 Set post cor. to Sect. 5, 6, 7 & 8, fr. wh.  
a Beech 23 in. dia. bears N 45 E. 27 W. dist. 7

a Do. 8 " " " 46 W. 16 " "

Beech, Ash, Oak, Sugar &c.

---

West On Random between Sect. 6 & 7.

40.00 Set temp. gr. sec. post.

81.24 Intersect N & E line 60 W. South of post.

---

East Correct line between Sect. 6 & 7.

40.63 Set gr. sec. post, from which  
a Beech 12 in. dia. bears N 65 E. 8 W. dist. 7

a Beech 13 " " " 41 W. 11 " "

81.24 Sec. cor. Limb: Beech, Oak, Ash,  
Hickory &c.

---

North Between Sect. 5 & 6.

13.40 a Wh. Oak 36 in. diam.?

40.00 Set gr. sec. post, from which  
an Elm 13 in. diam. bears N 80 W. 17 W. dist. 7  
a Beech 10 " " " 53 E. 12 W. dist.

40.10 a Branch in course W.

76.00 a Bl. Ash 21 in. diam.?

80.80 Intersect N. Boundary 270 W. E. of post  
& Set post cor. to Sect. 5 & 6 from which  
a Hickory 12 in. dia. bears N 23 E. 26 W. dist. 7  
an Elm 20 " " " N 61 W. 21 " "  
Land, level part wet. Lim. Beech,  
Elm Ash, Oak Hickory &c.

---

North Between Sect. 32 & 33.

3.90 an Ash 20 in. diam.

291

T. D. N. K. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Old Lk.

35.00 a Branch 21 lks. with course N. E.  
 40.00 Set gr. sec. post, from which  
 a Beech 13 in. dia. bears N 70 E, 12 lks. dist.  
 & a Do. 12 " " " N 24 W, 13 " "  
 80.00 Set post cor. to Secs. 28, 29, 32 & 33, fr. wh.  
 a Beech 12 in. dia. bears S 11 W, 17 lks. dist. &  
 a Bk. Ash 13 " " " N 11 E, 29 " "  
 Land, level part wet. Timber: Beech,  
 Ash, Elm, Oak & Hickory.

West Meander between Secs. 29 & 32.

40.00 Set gr. sec. post, from ex temp.  
 81.26 Intersect N. & S. line 20 lks. S. of post

East Correct line between Secs. 29 & 32.

40.63 $\frac{1}{2}$  Set gr. sec. post, from which  
 a Beech 10 in. diam bears S 29 W, 17 lks. dist. &  
 a Do. 14 " " " N 37 W, 26 " "  
 Land, level part wet. Timber: Beech, Ash,  
 Elm, Oak & Hickory.  
 81.26 Sec. cor. February 8<sup>th</sup> 1811.

North Between Sections 28 & 29.

40.00 Set gr. sec. post, from which  
 an Elm 18 in. dia. bears S 58 W, 19 lks. dist. &  
 a Wh. Oak 38 " " " S 26 W, 29 " "  
 62.50 Set to the post.  
 80.00 Set post cor. to Secs. 20, 21 & 28 & 29, from wh.  
 an Elm 14 in. dia. bears N 74 W, 19 lks. dist. &  
 an Elm 8 " " " S 26 E, 19 " "  
 Land level part wet - Beech, Ash,  
 Elm Maple, Oak &c. with Hickory.

West On Meander between Secs. 20 & 29,

31.00 .75. pond.  
 40.00 Set temp. gr. sec. post.

292 S. 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind.  
Ch. M.  
81.50 Intersect N. & S. line 30 W. S. of post.

---

East On correct line betw<sup>n</sup> Secs 20 & 29.  
40.75 Set gr. Sec. post, from which  
a Beech 16 in. dia. bears N 84 E 14 W. dist. X  
a Do. 18 " " " S 45 W 14 " "  
81.50 Sec. cor. Beech, Ash and Oak.

---

North Between Secs 20 & 21.  
30.60 an Ash 18 in. dia.  
40.00 Set gr. Sec. post, from which  
a Beech 10 in. dia. bears N 43 W 10 W. dist. X  
a Do. 8 " " " S 20 E 19 W. dist.  
49.90 an Ash 22 in. dia.  
69.50 a Branch 30 W. wide course E.  
80.00 Set post cor. to Secs 16, 17, 20 & 21, -  
nothing further said.

---

West On Random between Secs 17 & 20.  
40.00 Set temp. gr. Sec. post.  
81.50 Intersect N & S. line 20 W. S. of post.  
East On correct line between Secs 17 & 20.  
40.00 Set gr. Sec. post from which  
a Hickory 20 in. dia. bears N 22 E 14 W. dist. X  
a Beech 20 " " " S 22 W 24 " "  
81.50 Section corner.  
Land level post met. Beech & Ash  
Oak & Hickory.

---

North Between Secs 16 & 17.  
39.10 a Bl. Ash 20 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 18 in. dia. bears N 63 E 20 W. dist. X  
a Do. 12 " " " S 11 E 28 " "  
69.50 a Bl. Ash 20 in. diam.

T. D. N. No. 15 E. 2<sup>nd</sup> Mer. April<sup>th</sup>

293

Ch. W.

70.00 a Drain Course W.

80.00 set post Cor. to Sect. 8, 9, 16, & 19, from wh.  
an Elm 13 in. dia. bears N 22 E, 15 lb. dist.  
an Elm 10 " " " S 53 W, 31 " "  
Land, generally wet. Timber, Elm,  
Ash, Maple, Beech & Hickory.

---

West On Random between Sec. 8 & 19.

40.00 set temp. q. sec. post.

80.50 Intersect N & S line 20 lb. N. of post.

---

East On Correct line between Sec. 8 & 19.

40.25 set q. sec. post, from which  
a Beech 13 in. dia. bears N 8 E, 11 lb. dist. &  
a Dr. 15 " " " S 44 W, 19 " "  
Land, all wet and bushy. Elm,  
Maple & Hickory.

---

North Between Sec. 8 & 9.

30.25 a Rob. Oak 72 in. diam.

40.00 set q. sec. post, from which  
a Beech 14 in. dia. bears N 58 W, 8 lb. dist. &  
a Dr. 12 " " " S 45 E, 38 " "

40.10 a Bl. Ash 20 in. diam.

80.00 set post Cor. to Sec. 4, 5, 8 & 9, from wh.  
an Ash 10 in. dia. bears N 15 W, 19 lb. dist. &  
an Ash 14 " " " S 63 E, 30 lb. dist.  
Land, level. Beech, Ash, Sugar  
and Oak.

---

West On Random between Sec. 5 & 8.

40.00 set temp. q. sec. post.

80.00 Intersect N & S line at post.

---

West Correct line between Sec. 5 & 8.

40.00 set q. sec. post, from which



294 T 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
Ch<sup>a</sup> L<sup>a</sup>

a Beech 6 in. dia. bears N 5 E 4 lb. dist. &  
an Elm 12 " " " S 85 E 18 " "  
Land, level part wet. Limb. Beech,  
Ash, Elm, & Hickory.  
80.00 Sec. Cor.

North Between Sec. 4 & 5.  
40.00 Set gr. Sec. post, from which  
a Beech 10 in. dia. bears S 25 W. 28 lb. dist.  
an Ash 18 " " " N 16 W. 29 " "  
73.30 a Beech 18 " "  
81.90 Intersect N. Boundary 480 lb. E. of post &  
Set post Cor. to Sec. 4 & 5, from which  
a Beech 20 in. dia. bears S 51 E. 32 lb. dist. &  
a Do. 10 " " " S 54 W. 43 " "  
Land, part wet. Beech, Ash, & Oak.

East Between Sections 16 & 21.  
16.00 a Branch 50 lb. wide Course N.  
34.68 a Spruce 30 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 7 in. dia. bears S 1 E. 3 lb. dist. &  
a Do. 6 " " " N 40 W. 6 " "  
77.89 2<sup>d</sup> Post in the Boundary line fr. wh.  
a Beech 14 in. dia. bears N 49 W. 20 lb.  
a Do. 18 " " " S 61 W. 42 lb. dist.  
Land, part wet. Beech, Elm, Oak.  
February 9<sup>th</sup> 1811.

East An Line Between Sections 16 & 9.  
5.00 50.00 Old Beaver pond.  
40.00 Set gr. Sec. post, from which  
an Elm 12 in. dia. bears S 33 W. 6 lb. dist. &  
a Wh. Ash 10 " " " S 45 E. 17 " "  
67.50 a Branch 50 lb. wide Course N. E.  
30.00 Set post Cor. to Sec. 9 & 16, from which  
a Beech 22 in. dia. bears S 13 E. 14 lb. dist. &

295

S. 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
Ch. M?

a Beech 12 in. dia. bears N 60 W 15 lb. dist.  
Land, all wet. Lint. Elm, Maple  
& Ash, some Willow &c. & Plum.

---

South Between Sect. 15 & 16.

19.38 a Beech 22 in. diam.

40.00 Set gr. Sec. post, from which  
a Hickory 18 in. dia. bears - 41 W. 12 lb. dist. &  
a Beech 10 " " " S 4 W. 11 lb. dist.

45.94 a Beech 30 in. diam.

69.75 a Do. 10 " " in the Boundary line  
from which  
a Beech 12 in. dia. bears S 59 E 15 lb. dist. &  
a Wh. Oak 36 " " " N 69 W. 25 " "  
Land, part wet. Lint. Beech, Oak,  
Ash & Hickory.

---

East On corner line Between Sect. 10 & 15.

14.10 To post in the Boundary line from  
a Beech 14 in. dia. bears N 54 W. 29 lb. dist. &  
a Do. 16 " " " N 89 E. 30 " "  
Beech, Oak & Ash.

---

North Between Sections 9 & 10.

4.50 a Branch 50 lb. wide course N. E.

40.00 Set gr. Sec. post, from which  
a Beech 18 in. dia. bears N 25 E. 24 lb. dist. &  
a Do. 19 " " " N 5 W. 31 " "

46.70 a Sugar 16 in. diam.

80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which  
a Beech 12 in. dia. bears S 81 E. 3 lb. dist. &  
an Ash 22 " " " N 85 W. 11 lb. dist.  
Lint. Beech, Ash, Oak & Hickory.

---

West On line Between Sect. 4 & 9. Random.

21.00 a Pond 4.00.

296 J. D. N. R. 15 E. 2<sup>nd</sup> Mer. Ind.

Ch. 4<sup>th</sup>

21.50 u Pond 4.00.

40.00 Set temp. gr. sec. post.

80.00 Intersect N & E. line at post.

---

East lowest line Between Sec. 4 & 9.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears S 42° W. 25 lb. dist. &  
a Do. 8 " " " N 31° W. 21 " dist.

80.00 Sec. Corner.

---

East On line Between Sec. 3 & 10.

31.10 To post in Boundary line fr. which  
a Beech 8 in. dia. bears N 57° W. 10 lb. dist. &  
a Do. 7 " " " " S 60° W. 8 " " "  
Land, Beech, Sugar, Beech, Oak.

---

North Between Sections 3 & 4.

34.30 a Wh. Oak 65 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 14 in. dia. bears N 26° E. 37 lb. dist. &  
a Beech 30 " " " " N 14° W. 42 " "

59.00 4.00 Pond.

82.75 Intersect N. Boundary 330 lb. E. of post.  
an Elm 14 in. dia. bears S 45° E. 35 lb. dist. &  
a Beech 14 " " " " S 34° W. 70 " "  
Land, level. Limb. Beech, Ash,  
Oak, & Hickory.

---

East Between Sections 21 & 28.

1.50 a Drain Course N.

27.90 an Ash 30 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 18 in. dia. bears S 60° W. 6 lb. dist. &  
a Do. 18 " " " " S 65° E. 43 " "

43.75 a Branch 50 lb. wide Course N.

63.00 Intersect old Boundary & set post. fr. wh.

T. 20 N. R. 15 E. 2<sup>nd</sup> Mer. Ind. "   
 ch. M.

a Beech 8 in. dia. bears N 60° W, 19<sup>th</sup> M. dist. &  
a White Oak 48<sup>th</sup> " " S 38° W, 14 " "  
Timb. Beech, Oak, Ash, & Sugar.

East Between Secs 28 & 33.

8.20 an Elm 18 in. dia.

20.25 a Branch 25<sup>th</sup> wide course N. E.

40.00 Set gr. sec. post. from which

a Beech 13 in. dia. bears N 78° W, 11<sup>th</sup> M. dist. &

a Do. 10 " " " N 29° E, 25 " "

50.10 To old Indian Boundary line &

set a post. from which

a Beech 20 in. dia. bears S 26° W, 15<sup>th</sup> M. dist. &

a Do. 22 " " " N 3° E, 33 " "

Timb. Beech Ash & Oak.

Feb. 10<sup>th</sup> 1811.

Surveyed By Jacob Fowler, J.S.

I certify that the foregoing transcripts  
of the field notes of Fractional Township  
20 North, Range 15 East, 2<sup>nd</sup> Mer.  
Indiana has been compared with  
the Original, in this Office and  
found to be correct.

Surveyor General's Office  
Cincinnati, March 20<sup>th</sup> 1845.

William Johnston  
Sur. Genl.